Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1 .	2	("5818816").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:19
S2	.2	("4663748").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:19
S3	2	("5363366").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/16 20:20
S4	2	("6466591").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:29
S5	2	("4536876").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:21
S6	0	370/222.ccls and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:20
S7	419	370/222.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:30

S8	222	270/221 cdc and	LIC-DCDLID.	OR	OFF	2007/10/16 20:30
30	222	370/221.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OK .	OFF	2007/10/10 20.30
S9	234	370/223.ccis. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:30
S11	392	370/225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 20:31
S12	0	370/222-225.ccls and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:21
S13	1110	370/222-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:21
S14	23	370/222-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (downstream\$2 with bypass)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:32
S15	20	370/222-224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @drlpn<="20030322") and (downstream\$2 with bypass)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:34
S16	4	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @drlpn<="20030322") and (downstream\$2 with bypass)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 16:34

					Т	
S17	206	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 10:39
S18	0	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and protocol\$@	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 18:35
S19	76	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or protocol\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 19:00
S20	4	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/17 18:39
S21	3	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (transport layer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/17 19:38
S22	14	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and blsr	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/17 19:38
S23	3	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (pll)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 10:17
S24	474922	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 10:40

S25	72	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 13:02
S26	36	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or (phase lock\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; ÍBM_TDB	OR	OFF	2007/10/18 16:24
S27	4	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or (phase lock\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 13:31
S28	4	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:57
S29	263	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (sonet framer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:31
S30	0	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (decoupling with (led or (light emitting diode)) with trigger)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:32
S31	148	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (decoupling with (led or (light emitting diode)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:33

10/23/2007 10:25:55 AM C:\Documents and Settings\kcehic\Desktop\apps\10549588\search.wsp Page 4

·	· · · · · · · · · · · · · · · · · · ·	······································				· · · · · · · · · · · · · · · · · · ·
S32	0	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (decoupling with (led or (light emitting diode))) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF .	2007/10/18 14:33
S33	148	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (decoupling with (led or (light emitting diode)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:33
S34	5	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (decoupl\$4 with (led or (light emitting diode))) same (trigger)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:33
S35	0	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and dpll	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:36
S36	44	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and (drive\$2 or actuator\$2 or sensor\$2 or motor\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 14:58
S37	11	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and (actuator\$2 or sensor\$2 or motor\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:08
S38		370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @detection	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:09

10/23/2007 10:25:55 AM C:\Documents and Settings\kcehic\Desktop\apps\10549588\search.wsp

Page 5

S39	3	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and edge detection	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:14
S40	0	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit current)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:43
S41	14	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit current)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:42
S42	207	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit with current)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:43
S43	0	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or with current)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 15:44
S44	18	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 16:02
S45	2	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and nrzi	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 16:15

S46	18	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 16:22
S47	207	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit with current)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 16:22
S48	1	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit with current with nrzi)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 16:23
S49	0	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero bit with current with missing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 16:24
S50	42	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or with send\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:13
S51	15	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (zero or "0") near2 bit	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 18:19
S52	3	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and nrz	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:01
S53	60	370/220-225.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$3) with zero)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:08

S54	37	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (nrzi with (send\$4 or transmit\$3) near5 zero)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:09
S55	0	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or with send\$3 with (zero or "0"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:15
S56	29	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4) with (zero or "0"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 17:49
S57	77	370/221-223.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4) with (zero or "0"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:54
S58	1	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and (waveguide\$2 and central\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:55
S59	5	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (waveguide\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 17:59
S60	3	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and (motor and (master\$2 with slave\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 18:05

· 1				ı		
S61		370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4 or signal\$2) with bit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 18:08
S62	12	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 18:26
S63	132	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (failure\$2 with (send\$3 or transmit\$4) near5 (zero or "0"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 18:19
S64	13	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (voltage\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 18:32
S65	460	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (send\$2 or transmit\$4) with (zero bit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 18:30
S66	8	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (send\$2 or transmit\$4) with (zero bit) with current	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ _.	OFF	2007/10/18 18:30
S67	49	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4 or forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or generat\$5) with (zero or "0"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 18:37

S68	0	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4 or forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or generat\$5) with (zero or "0") with "not" receiv\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 18:38
S69		(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4 or forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or generat\$5) with (zero or "0") with "not" receiv\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 18:38
S70	396	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and ((send\$3 or transmit\$4 or forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or generat\$5) with (zero or "0") with missing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 18:40
S71	94	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlad<="20030322") and ((send\$3 or transmit\$4 or forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or generat\$5) with (zero or "0") with missing near4 (cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2 or signal\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/18 18:41

Page 10

S72	62.	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (failure with (send\$2 or transmit\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/19 15:17
S73	. 2	370/224.ccls. and (@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322" or @rlpn<="20030322") and (failure with (send\$2 or transmit\$4) with (zero or "0"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/19 15:17
S74	30937811	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") (pll\$2 with (per))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 11:46
S75	5	(@ad<="20030322" or @pd<="20030322" or @rlan<="20030322" or @rlad<="20030322" or @rlpn<="20030322") and (pll\$2 with (per) near3 (link or channel)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 11:50